

**Thesaurus of Terms Used in
Microbiological Risk Assessment**

**U.S. Environmental Protection Agency
Office of Water
Office of Science and Technology
Health and Ecological Criteria Division**

September 29, 2007

REFERENCES

- AAS 1999** – Good Prospects Ahead for Data Mining Glossary. Australian Academy of Science (downloaded July 7, 2005). <http://www.science.org.au/nova/050/050glo.htm>.
- AIHA 2000** – Risk Assessment Principles for the Industrial Hygienist (as cited in IPCS 2001). Michael Jayjock, Jerry Lynch, and Deborah Nelson. American Industrial Hygiene Association. Fairfax, VA. American Industrial Hygiene Association Press.
- APHA 1995** – Control of Communicable Diseases Manual. (as cited in ILSI 2000). Ed: AS Benenson, Washington DC, American Public Health Association, 1995.
- ATSDR 2004** – ATSDR Glossary of Terms. Agency for Toxic Substances and Disease Registry (downloaded July 6, 2005; last updated June 21, 2004). <http://www.atsdr.cdc.gov/glossary.html>.
- Besnard 2002** – Besnard, V; Federighi, M; Declerq, E; Jugiau, F; Cappelier, J-M. (2002) VBNC State in *Listeria monocytogenes*. *Vet. Res.* 33:359–370. <http://www.edpsciences.org/articles/vetres/pdf/2002/04/03.pdf?access=ok>
- Brooks 2001** – Brooks, E.B. 2001. Acquiring Statistics: Techniques and Concepts for Historians, Glossary (downloaded July 7, 2005; not accessible 11/10/2006). <http://www.umass.edu/wsp/statistics/glossary>.
- Buchanan 2000** – Buchanan, R.L., Smith, J.L., & Long, W. 2000. Microbial risk assessment: dose-response relations and risk characterization. (as cited in FAO/WHO 2003b). *International Journal of Food Microbiology*, 58: 159-172.
- Burnham and Anderson 1998** – Model Selection and Inference (as cited in FAO/WHO 2003b). K.P. Burnham and D.R. Anderson. Springer.
- CAC 1999** – Principles and Guidelines for the Conduct of Microbiological Risk Assessment. CAC/GL-30. <http://www.who.int/foodsafety/publications/micro/cac1999/en/index.html>
- CAC 2002** – Procedural Manual of the Codex Alimentarius Commission. Twelfth Edition. Rome, Italy. http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/005/Y2200E/y2200e00.htm.
- CAC 2003** – Codex Alimentarius Commission Procedural Manual. Thirteenth edition. Rome, Italy. http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/006/Y4971E/y4971e00.htm.
- CancerWEB 2005** – On-line Medical Dictionary. CancerWeb Project (downloaded July 6,

- 2005). <http://cancerweb.ncl.ac.uk/omd>.
- CARB 2000** – Glossary of Air Pollution Terms (as cited in IPCS 2001). Sacramento, CA. California Air Resources Board (downloaded May 5, 2005).
<http://arbis.arb.ca.gov/html/gloss.htm>.
- CDC 2005** – Reproductive Health: Glossary. Centers for Disease Control and Prevention (downloaded July 6, 2005; last updated April 6, 2005).
<http://www.cdc.gov/reproductivehealth/EpiGlossary/glossary.htm>.
- CENR 1999** – Ecological Risk Assessment in the Federal Government (as cited in IPCS 2001). CENR/5-99/001. Washington, D.C. Committee on Environment and Natural Resources, National Science and Technology Council (downloaded May 8, 2000).
<http://www.epa.gov/ncea/cenrecog.htm>.
- CRCWQT 2002** – Glossary of Water-Related Terms. Cooperative Research Centre for Water Quality and Treatment (downloaded July 7, 2005).
<http://www.waterquality.crc.org.au/consumers/Consumersp17.htm>.
- Dorland 1981** – Dorland's Illustrated Medical Dictionary. (as cited in FAO/WHO 2003b). Twenty-sixth edition. 1981. Philadelphia: W.B. Saunders Company.
- Dorland 1984** – Dorland's Illustrated Medical Dictionary (as cited in ILSI 2000). Ed: D. M. Anderson, Philadelphia: W. B. Saunders Co.
- EC 1995** – 1995 Expert Consultation Definition on Risk Analysis (as cited in CAC 1999, FAO/WHO 2003b).
- EDVCB 2000** – Environmental Economics Glossary (as cited in IPCS 2001). Long Beach. Environmental Damage Valuation and Cost Benefit Website (downloaded May, 10, 2000, last updated January 20, 2000; not accessible 11/10/2006).
<http://www.damagevaluation.com/glossary.htm>.
- EPA 1992** – Guidelines for Exposure Assessment. EPA/600/Z-92/001. Washington, D.C. U.S. Environmental Protection Agency.
- EPA 1995a** – Ecological Restoration. Chapter 8 Glossary. EPA/841/F-95-007. Washington, D.C. U.S. Environmental Protection Agency (downloaded July 8, 2005; last updated August 18, 2003). <http://www.epa.gov/owow/nps/Ecology/chap8.html>.
- EPA 1995b** – The Use of the Benchmark Dose Approach in Health Risk Assessment. EPA/630/R-94/007. Washington, D.C. U.S. Environmental Protection Agency, Risk Assessment Forum.
- EPA 1997a** – Exposure Factors Handbook. EPA/600/P-95/002Fa-Fc.
<http://cfpub.epa.gov/ncea/raf/recordisplay.cfm?PrintVersion=True&deid=54500>.
<http://www.epa.gov/ncea/pdfs/efh/front.pdf>.

- EPA 1997b** – Guidance on Cumulative Risk Assessment. Part 1. Planning and Scoping. Washington, DC. U.S. Environmental Protection Agency, Science Policy Council.
<http://www.epa.gov/brownfields/html-doc/cumrisk2.htm>
- EPA 1998a** – Guidelines for Ecological Risk Assessment. EPA/630/R-95/002F. Federal Register 63(93):26846-26924. [Last updated on Friday, November 10th, 2006]
<http://www.erg.com/portfolio/elearn/ecorisk/html/resource/glossary.html>.
- EPA 1998b** – Occupational and Residential Exposure Test Guidelines: Group B Post application Exposure Monitoring Test Guidelines. EPA/875/5.4. Washington, D.C. U.S. Environmental Protection Agency.
- EPA 1999a** – Residual Risk Report to Congress (as cited in EPA 2004). EPA453R99001.
- EPA 1999b** – Superfund Risk Assessment Glossary. Washington, D.C. U.S. Environmental Protection Agency, Office of Emergency Response and Remediation (downloaded May 5, 2000, last updated March 30, 1999).
<http://www.epa.gov/oswer/riskassessment/glossary.htm>
- EPA 2003** – Integrated Risk Information, Glossary of IRIS terms. Washington, D.C. U.S. Environmental Protection Agency (downloaded July 8, 2005).
[\[http://www.epa.gov/iris/gloss8.htm\]](http://www.epa.gov/iris/gloss8.htm).
- EPA 2004** – Air Toxics Risk Assessment Reference Library: Volume 1 Technical Resource Manual. EPA/453/K-04-001A. http://www.epa.gov/ttn/fera/risk_atra_main.html.
http://www.epa.gov/ttn/fera/data/risk/vol_1/glossary.pdf.
- EPA 2005a** – Guidelines for Carcinogen Risk Assessment. EPA/630/P-03/001B.
<http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=116283>.
- EPA 2005b** – Terms of Environment: Glossary, Abbreviations and Acronyms. Washington, D.C. U.S. Environmental Protection Agency (downloaded July 6, 2005; last updated June 13, 2005). <http://www.epa.gov/OCEPAterms/>.
- EPA 2005c** – Aquatic Resource Monitoring & Design Terminology Terms. Washington, D.C. U.S. Environmental Protection Agency (downloaded July 8, 2005; last updated July 8, 2005). <http://www.epa.gov/nheerl/arm/terms.htm>.
- EPA 2005d** – Glossary of Health, Exposure, and Risk Assessment Terms and Definitions of Acronyms. Washington, D.C. U.S. Environmental Protection Agency, Technology Transfer Network Air Toxics Website (downloaded July 8, 2005).
<http://www.epa.gov/ttn/atw/hlthef/hapglossaryrev.html>.
- EPA 2005e** – Pesticides Glossary (Updated August 1, 2005 Downloaded November 18, 2005)
<http://www.epa.gov/pesticides/glossary/index.html>
- EPA 2005f** – Methodology for Deriving Microbial Ambient Water Quality Criteria for the

- Protection of Human Health (November 2005 draft) Office of Water, HECD.
- EPA 2006**. – Biosolids – Frequently Asked Questions. U.S. Environmental Protection Agency (downloaded October 31, 2006; last updated March 8, 2006).
<http://www.epa.gov/owm/mtb/biosolids/genqa.htm>
- ESOMAR 2001** – ESOMAR Marketing Research Glossary (downloaded July 8, 2005).
<http://www.esomar.org/web/show/id=45051>
- FAO/WHO 1995** – Application of Risk Analysis to Food Standards Issues. Report of a joint FAO/WHO expert consultation, Geneva, Switzerland, 13–17 March 1995. (as cited in FAO/WHO 2003b). WHO, Geneva.
- FAO/WHO 1997** – Food Consumption and Exposure Assessment of Chemicals, Report of a FAO/WHO Consultation (as cited in IPCS 2001). WHO/FSF/FOS/97.5. Geneva, Switzerland.
- FAO/WHO 2003a** – Assuring Food Safety and Quality: Guidelines for Strengthening National Food Control Systems, Annex 1 Glossary (downloaded July 11, 2005).
http://www.who.int/foodsafety/publications/capacity/en/Englsih_Guidelines_Food_control.pdf.
- FAO/WHO 2003b** – Microbiological Risk Assessment Series, No. 3 Hazard Characterization for Pathogens in Food and Water, Guidelines. Food and Agriculture Organization of the United Nations. World Health Organization (downloaded July 11, 2005).
<http://whqlibdoc.who.int/publications/2003/9241562374.pdf>
- FDA 2001** – The A to Z Comprehensive List of Terms. U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition (downloaded July 6, 2005; last updated September 2001). <http://www.cfsan.fda.gov/~dms/a2z-term.html>.
- FDA 2002** – Initiation and Conduct of All ‘Major’ Risk Assessments within a Risk Analysis Framework: A Report by the CFSAN Risk Analysis Working Group. U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition (downloaded July 6, 2005; last updated July 23, 2002). <http://www.cfsan.fda.gov/~dms/rafw-toc.html#gloss>.
- Floridi 2003** – Floridi, L. 2003. Glossary of Technical Terms. The Blackwell Guide to Philosophy of Computing and Information (downloaded July 7, 2005).
<http://www.blackwellpublishing.com/pci/downloads/Glossary.pdf>
- FSA 2005** – Food Standards Agency, Glossary of Terms (downloaded June 2005).
<http://www.food.gov.uk/safereating/pesticides/pesticidesglossary/>
- Gregg 1996** – Gregg, M., Dicker, R.C., & Goodman, R.A. (eds). 1996. Field epidemiology. (as cited in FAO/WHO 2003b). New York NY: Oxford Press.
- ILSI 2000** – Revised Framework for Microbial Risk Assessment. International Life Sciences

- Institute Risk Science Institute workshop report. <http://www.ilsi.org/file/mrabook.pdf>
- ILSI 2001** – Principles of Risk Assessment of Food and Drinking Water Related to Human Health. ILSI Europe Concise Monograph Series.
<http://www.ilsi.org/file/ILSIcmRA.pdf>.
- IOM 2002** – Immunizations Safety Review Multiple Immunizations and Immune Dysfunction. National Academy of Sciences Institute of Medicine.
- IPCS 2001** – Glossary of Exposure Assessment-Related Terms: A Compilation.
http://www.who.int/ipcs/publications/methods/harmonization/en/compilation_nov2001.pdf.
- IPCS 2004** – International Programme on Chemical Safety. IPCS risk assessment terminology: Part 2. IPCS Glossary of Key Exposure Assessment Terminology.
http://www.who.int/ipcs/publications/methods/harmonization/en/compilation_nov2001.pdf.
- IPCS/OECD 2004** – IPCS/OECD Key Generic Terms Used in Chemical/Hazard Risk Assessment.
<http://www.who.int/ipcs/methods/harmonization/areas/en/ipcsterminologyparts1and2.pdf>.
- Jenkins 2004** – Jenkins TM, Scott TM, Cole JR, Hashsham SA, Rose JB. (2004) Assessment of virulence-factor activity relationships (VFARs) for waterborne diseases. *Water Sci Technol*.50(1):309-14.
- Jones 2006** – Jones and Bartlett Virtual Text Lifescience Glossary Downloaded November 10, 2006. <http://www.ergito.com/glossary.jsp>
- KIWA 2004** – The Interaction Between Quantitative Microbial Risk Assessment and Risk Management in the Water Safety Plan. Kiwa Water Research/Delft University.
http://217.77.141.80/clueadeau/microrisk/uploads/interaction_in_water_safety_plan.pdf.
- Last 1983** – A Dictionary of Epidemiology (as cited in IPCS 2001). Ed: J. M. Last. ISBN 0-19-503257-8. International Epidemiological Association, Inc. New York, NY: Oxford University Press.
- Last 1988** – A Dictionary of Epidemiology. 2nd edition (as cited in ILSI 2000) Ed: J. M. Last, New York, NY: Oxford University Press.
- Last 1995** – A Dictionary of Epidemiology. 3rd ed. (as cited in FAO/WHO 2003b) Ed: J. M. Last, New York, NY: Oxford University Press.
- Marsh 1996** – Marsh, Norman. 1996. A Glossary of Statistics (In Particular, Re-Randomisation Statistics). Version 1.0 (as cited in FAO/WHO 2003b).
<http://linkage.rockefeller.edu/wli/glossary/stat.html>

- Meynell and Stocker 1957** – Some hypotheses on the aetiology of fatal infections in partially resistant hosts and their application to mice challenged with *Salmonella paratyphi-B* or *Salmonella typhimurium* by intraperitoneal injection. *Journal of General Microbiology*, 16:38-58. (as cited in FAO/WHO 2003b).
- MERREA 2005** – Glossary of Risk Management. Managing Effective Risk Response: An Ecological Approach (downloaded July 6, 2005; last updated July 2005).
<http://www.merrea.org/glossary.html>. [
- Navy 2002** – Risk Communication: Navy Health Operational and Environmental Issues Glossary. Navy Environmental Health Center, Environmental Programs Directorate (downloaded July 7, 2005; last updated August 1, 2002).
<http://www-nehc.med.navy.mil/herc/glossary/a.htm>.
- Navy 2003** – Navy Guidance for Conducting Ecological Risk Assessments Glossary (downloaded July 7, 2005; last updated February 27, 2003).
<http://web.ead.anl.gov/ecorisk/glossary/index.cfm>.
- NCSU 1997** – Watershedds Glossary. Watershedds (WATER, Soil, and Hydro_ Environmental Decision Support System) (as cited in IPCS 2001). Raleigh. NCSU Water Quality Group, North Carolina State University (downloaded October 15, 1997; not accessible 11/10/2006). <http://h2osparc.wq.ncsu.edu/info/glossary.html>.
- NIAID 2000** – HIV Vaccine Glossary (as cited in IPCS 2001). National Institute of Allergy and Infectious Diseases, National Institutes of Health (downloaded May 5, 2000).
<http://www.niaid.nih.gov/factsheets/GLOSSARY.htm>.
- NIST 2005** – Dictionary of Algorithms and Data Structures. National Institute of Standards and Technology (downloaded July 7, 2005; last updated June 2, 2005).
<http://www.nist.gov/dads/>.]
- NIST/SEMATECH 2005a** – e-Handbook of Statistical Methods. National Institute of Standards and Technology/SEMATECH (downloaded July 6, 2005).
<http://www.itl.nist.gov/div898/handbook/index.htm>.
- NIST/SEMATECH 2005b** – e-Handbook of Statistical Methods Glossary. National Institute of Standards and Technology/SEMATECH (downloaded July 6, 2005).
<http://www.itl.nist.gov/div898/handbook/glossary.htm>.
- NLM 2005** – National Information Center on Health Services Research and Health Care Technology (as cited in CancerWEB 2005).
- NLM/NICHSR 2004** – HTA 101: Glossary. National Library of Medicine/National Information Center on Health Services Research and Health Care Technology (downloaded July 6 2005; last updated August 18, 2004).
<http://www.nlm.nih.gov/nichsr/hta101/ta101014.html>.

- NRC 1983** – Risk Assessment in the Federal Government: Managing the Process (as cited in IPCS 2001). ISBN: 0-309-03349-7. Washington, D.C.: National Academy Press.
- NRC 1991** – Human Exposure Assessment for Airborne Pollutants (as cited in IPCS 2001). National Research Council, National Academy Press, Washington, DC.]
- NSWEPA 2004** – New South Wales Environment Protection Authority, Environmental Guidelines for Waste
<http://www.epa.nsw.gov.au/waste/envguidlns/compostingglossary.htm>
- NYDOH 1999** – Glossary of Environmental Health Terms (as cited in IPCS 2001). Troy, NY. New York State Department of Health, Center for Environmental Health, Education Unit (downloaded May 5, 2000, last updated November 1, 1999).
<http://www.health.state.ny.us/nysdoh/consumer/environ/toxglos.htm>.
- NYS 1998** – Cost-Benefit Handbook: A Guide for New York State's Regulatory Agencies Appendix A Glossary. New York State Governor's Office of Regulatory Reform (downloaded July 8, 2005). <http://www.gorr.state.ny.us/gorr/cba-glossary.html>.
- NZ 2002** – Freshwater Microbiology Research Programme Report: Pathogen Occurrence and Human Health Risk Assessment Analysis. New Zealand. Ministry for the Environment.
<http://www.mfe.govt.nz/publications/water/freshwater-microbiology-nov02/freshwater-microbiology-appendices-nov02.pdf>.
- OAQPS 1989** – Air Risk Information Support Center, OAQPS, March 1989: Glossary of Terms Related to Health, Exposure, and Risk Assessment (as cited in EPA 2004). EPA/450/3-88/016.
- OECD 1997** – Series on Testing and Assessment No. 9: Guidance Document for the Conduct of Occupational Exposure to Pesticides During Agricultural Application (as cited in IPCS 2001). OCDE/GD(97)148. Organization for Economic Co-Operation and Development. Paris, France.
- OMAF 1997** – A General Risk Assessment Framework Food Safety Risk Assessment. Ontario Ministry of Agriculture Food and Rural Affairs. (downloaded July 6, 2005; not accessible 11/10/2006).
<http://www.gov.on.ca/OMAFRA/english/research/risk/frameworks/as1.html#core>
- OSTP 1986** – Executive Office of the President, Office of Science and Technology Policy. Coordinated Framework for Regulation of Biotechnology, 51 FR 23302, June 26, 1986
http://usbiotechreg.nbii.gov/Coordinated_Framework_1986_Federal_Register.html
- Payment & Riley 2002** – Resolving the Global Burden of Illness: A Call to Action. American Academy of Microbiologists, American Society of Microbiology.
- Queensland Health 2005** – Endoscope Reprocessing Glossary

- <http://www.health.qld.gov.au/EndoscopeReprocessing/Glossary.htm>
- RAIS 2004** – Risk Assessment Information System: Glossary of Useful Terms Found in Risk Assessment. <http://rais.ornl.gov/homepage/glossary.shtml>
- REAP 1995** – Residential Exposure Assessment Project (as cited in IPCS 2001). Washington, D.C. A joint project of the Society for Risk Analysis, International Society of Exposure Analysis, and the U.S. Environmental Protection Agency, with support from the Chemical Manufacturers Association and Procter & Gamble.
- RERF 1999** – Radiation Effects Research Foundation Glossary (as cited in IPCS 2001). Hiroshima, Japan. Radiation Effects Research Foundation (downloaded May 4, 2000, last update August 18, 1999). <http://www.rerf.or.jp/eigo/titles/glosmpg.htm>.
- RRTC-PBS 2003** – Positive Behavior Support Glossary. Rehabilitation Research and Training Center on Positive Behavior Support of the University of South Florida (downloaded July 7, 2005; last updated May 9, 2003). <http://rrtcpbs.fmhi.usf.edu/rrtcpbsweb/glossary.htm>.
- SRA 2004** – Glossary of Risk Analysis Terms. Society for Risk Analysis (downloaded July 6, 2005; last updated December 1, 2004). [NOTE: this glossary has not been officially adopted or endorsed by SRA]. http://www.sra.org/resources_glossary.php.
- Stedman 2005** – Stedman's Online Medical Dictionary (downloaded July 6, 2005). <http://www.stedmans.com/section.cfm/45>.
- STEPS 1997** – Glossary. Statistical Education through Problem Solving (downloaded July 6, 2005; last updated September 1997). <http://www.stats.gla.ac.uk/steps/glossary/index.html>.
- Swinton 1999** – Swinton, Jonathan. 1999. A Dictionary of Epidemiology (as cited in IPCS 2001). University of Cambridge, Cambridge, U.K. (downloaded May 4, 2000, last update: November 12, 1999; not accessible 11/10/2006). <http://www.kings.cam.ac.uk/~js229/glossary.html>
- TAFBERP 2005** – Travis Air Force Base Environmental Restoration Program Glossary (downloaded July 8, 2005). <http://public.travis.amc.af.mil/shared/media/document/AFD-060419-084.PDF>
- Toma 1999** – Dictionary of Veterinary Epidemiology. (as cited in ILSI 2000) Eds: B. Toma et al. Ames, IA: Iowa State University Press
- USDA 2004** – United States Department of Agriculture, Economic Research Service, A Safe Food Supply Glossary. Some terms adapted from: Prevention Effectiveness: A Guide to Decision Analysis and Economic Evaluation. Haddix, A. C., S. M. Teutsch, P. A. Shaffer, and D. O. Duñet, eds. New York, NY: Oxford University Press (last updated July 22, 2004). <http://www.ers.usda.gov/emphases/safefood/glossary.htm>.

- USDOT 1996** – Probabilistic Risk Analysis for Turnkey Construction: A Case Study; Final Report; Glossary. FTA-MD-26-7001-96-2. U.S. Department of Transportation, Federal Transit Administration, Office of Planning (downloaded July 8, 2005). <http://www.fta.dot.gov/library/planning/prob/glossary.html>.
- USNRC 2005** – Basic References: Glossary. U.S. Nuclear Regulatory Commission (downloaded July 8, 2005; last updated January 19, 2005). <http://www.nrc.gov/reading-rm/basic-ref/glossary.html>.
- Weisstein/MathWorld 2002** – Weisstein, E.W. Algorithm. MathWorld – A Wolfram Web Resource (downloaded July 6, 2005). <http://mathworld.wolfram.com/Algorithm.html>.
- Weisstein/MathWorld 2003** – Weisstein, E.W. Logistic Distribution. MathWorld – A Wolfram Web Resource (downloaded July 8, 2005). <http://mathworld.wolfram.com/LogisticDistribution.html>.
- Weisstein/MathWorld 2005a** – Weisstein, E.W. Pareto Distribution. MathWorld – A Wolfram Web Resource (downloaded July 8, 2005). <http://mathworld.wolfram.com/ParetoDistribution.html>.
- Weisstein/MathWorld 2005b** – Weisstein, E.W. Triangular Distribution. From MathWorld – A Wolfram Web Resource (downloaded July 8, 2005). <http://mathworld.wolfram.com/TriangularDistribution.html>.
- WHO 1994** – Assessing Human Health Risks of Chemicals: Derivation of Guidance Values for Health Based Exposure Limits (as cited in (FAO/WHO 2003b)). Environmental Health Criteria, No. 170.
- WHO 1999** – Risk Assessment Terminology: Methodological Considerations and Provisional Results (as cited in FAO/WHO 2003b). Report on a WHO Rxperiment. Terminology Standardization and Harmonization, Vol. 2, Nos. 1-4.
- World Bank 2004** – The Disability-Adjusted Life Year (Daly) Definition, Measurement and Potential Use. World Bank, Human Capital Development and Operations Policy Working Paper (downloaded July 6, 2005). http://www.worldbank.org/html/extdr/hnp/hddflash/workp/wp_00068.html.

INDEX

A

| | | | |
|---------------------------------|-----|----------------------------------|-----|
| absolute risk | | analysis of variance | 123 |
| absorbed dose | 69 | analysis phase | 23 |
| absorption barrier | 69 | analysis plan | 23 |
| acceptable daily intake | 160 | analysis | 23 |
| acceptable risk | 160 | analytic epidemiology | 97 |
| accuracy | 123 | analytical epidemiologic study | 97 |
| acquired immunity | 86 | Anderson-Darling goodness of fit | 124 |
| active immunity | 86 | anecdotal data | 23 |
| activity pattern data | 69 | anecdotal evidence | 24 |
| actual risk | 160 | animal studies | 24 |
| acute effect | 86 | antagonistic effect | 87 |
| acute exposure limits | 69 | anthropogenic | 24 |
| acute exposure | 69 | antibody | 87 |
| acute toxicity | 69 | antigen | 88 |
| acute | 86 | anti-microbial | 48 |
| added risk | 160 | applied dose | 71 |
| additional risk | 161 | applied epidemiology | 97 |
| additive dose | 114 | appropriate level of protection | 161 |
| additive effect | 114 | approximation | 124 |
| adjusted exposure concentration | 70 | arithmetic mean | 124 |
| administered dose | 70 | assessment endpoint | 24 |
| adsorption | 70 | assessment factor | 24 |
| adverse effect | 86 | assessment questions | 24 |
| adverse health effect | 87 | assessment | 24 |
| aerosol | 70 | association | 124 |
| agent | 23 | assumption | 24 |
| agent of disease | 48 | asymptomatic | 88 |
| aggregate exposure | 71 | at-risk population | 88 |
| aggregate risk | 161 | attack rate | 97 |
| aggregate surveillance | 97 | attenuated (strain) | 48 |
| airborne transmission | 61 | attenuation | 88 |
| Akaike's information criterion | 123 | attributable proportion | 24 |
| aleatory uncertainty | 123 | attributable risk | 161 |
| algorithm | 123 | average daily dose | 71 |
| ambient level | 71 | averaging time | 71 |
| ambient measurement | 71 | avirulent | 48 |
| amplification | 48 | | |
| anaerobic | 48 | | |

B

| | |
|--|-----|
| background levels | 61 |
| background source | 61 |
| bacteremia | 88 |
| bacteria | 48 |
| bactericidal | 48 |
| baseline condition | 174 |
| Bayes' theorem | 124 |
| Bayesian inference | 124 |
| Bayesian information criterion | 124 |
| Bayesian methods | 125 |
| benchmark concentration lower confidence limit | 114 |
| benchmark concentration | 114 |
| benchmark dose lower confidence limit | 114 |
| benchmark dose | 114 |
| benchmark response | 114 |
| benefit | 170 |
| benefit-cost analysis | 170 |
| Bernoulli distribution | 125 |
| Bernoulli trial | 125 |
| best case | 125 |
| best management practice | 24 |
| best professional judgment | 25 |
| beta distribution | 125 |
| beta error | 125 |
| bias | 125 |
| binomial distribution | 126 |
| bioaccumulation factor | 72 |
| bioaccumulation | 71 |
| bioaerosol | 72 |
| bioassay | 174 |
| bioavailability | 174 |
| bioconcentration factor | 72 |
| bioconcentration | 72 |
| biological contaminant | 49 |
| biological half-life | 174 |
| biological medium | 89 |
| biological monitoring | 62 |
| biologically based dose-response model | 114 |
| biologically effective dose | 72 |
| biologically plausible | 25 |
| biomagnification (biological magnification) | 72 |

| | |
|-------------------|-----|
| biomarker | 89 |
| biosensor | 62 |
| biosolid | 185 |
| bootstrap | 127 |
| bounding estimate | 127 |
| burden of illness | 97 |

C

| | |
|--|-----|
| cancer risk | 161 |
| cancer slope factor | 185 |
| carrier | 97 |
| case definition | 99 |
| case study | 99 |
| case | 98 |
| case-control epidemiologic study | 99 |
| case-control study | 98 |
| case-fatality ratio | 99 |
| case-study epidemiologic study | 99 |
| causality | 25 |
| <i>ceteris paribus</i> | 25 |
| characterization of exposure | 25 |
| characterization of human health effects | 25 |
| chi-squared distribution | 127 |
| chi-squared goodness-of-fit test | 128 |
| chronic effect | 89 |
| chronic exposure | 73 |
| chronic health effects | 89 |
| chronic study | 99 |
| chronic toxicity | 174 |
| chronic | 89 |
| clinical illness | 100 |
| clinical trial | 100 |
| cluster analysis | 128 |
| cluster investigation | 100 |
| cluster | 100 |
| cocktail effect | 73 |
| coefficient of variation | 128 |
| cohort epidemiologic study | 100 |
| cohort study | 100 |
| cohort | 100 |
| coliforms | 49 |
| colonization | 49 |
| colony forming unit | 49 |
| commensal (commensalism) | 49 |

| | | | |
|-----------------------------------|-----|---------------------------------|-----|
| community | 26 | D | |
| comparative risk assessment | 26 | | |
| comparison value | 161 | data integrity | 27 |
| composite sample | 62 | data objectivity | 27 |
| concentration | 62 | data quality objective | 27 |
| concentration-effect relationship | 114 | data quality objectives process | 27 |
| conceptual model | 26 | data quality | 27 |
| confidence interval | 128 | data utility | 28 |
| confounder | 161 | death rate | 101 |
| confounding factor | 162 | decision tree | 131 |
| consumption rate | 73 | decontamination | 162 |
| contact volume | 73 | dependent variable | 131 |
| contact | 73 | descriptive epidemiologic study | 102 |
| contagious distribution | 130 | detection limit | 62 |
| contagious | 50 | deterministic analysis | 131 |
| contaminant | 50 | deterministic model | 131 |
| contamination | 50 | deterministic | 131 |
| contingent valuation method | 170 | developmental toxicity | 90 |
| continuous time model | 130 | diarrhea | 90 |
| control group | 101 | direct contact | 73 |
| control point | 162 | direct costs | 171 |
| control processes | 162 | direct medical costs | 171 |
| control | 101 | direct non-medical costs | 171 |
| controllable variability | 130 | disability-adjusted life year | 171 |
| correlation | 130 | discount rate | 171 |
| cost-benefit analysis | 170 | discounting | 172 |
| cost-effectiveness analysis | 170 | disease surveillance | 102 |
| cost-of-illness analysis | 170 | disease | 90 |
| cost-of-illness method | 171 | disinfection | 162 |
| criteria | 162 | distribution free method | 132 |
| critical concentration | 185 | distribution | 131 |
| critical effect | 182 | disutility costs | 172 |
| critical limits | 162 | dose adjustment | 116 |
| critical study | 185 | dose rate | 116 |
| cross-contamination | 62 | dose | 115 |
| cross-sectional study | 101 | dose-effect relationship | 116 |
| culture | 50 | dose-related effect | 117 |
| cumulative distribution function | 130 | dose-response analysis | 117 |
| cumulative dose | 115 | dose-response assessment | 117 |
| cumulative exposure | 73 | dose-response curve | 118 |
| cumulative risk assessment | 27 | dose-response relationship | 119 |
| cumulative risk | 27 | dose-response | 117 |
| | | dose-response, linear-quadratic | 132 |
| | | duration of infectiousness | 90 |
| | | dynamic model | 132 |

| | | | |
|----------------------------|-----|--------------------------------|-----|
| E | | | |
| ecological risk assessment | 182 | exposure pathway | 77 |
| ecological risk | 182 | exposure period | 78 |
| effect assessment | 28 | exposure point | 78 |
| effect | 28 | exposure profile | 78 |
| effective concentration | 182 | exposure route | 78 |
| effective dose | 182 | exposure scenario | 79 |
| effluent | 185 | exposure surface | 79 |
| emerging pathogens | 50 | exposure unit | 79 |
| empirical distribution | 132 | exposure | 74 |
| empirical | 132 | exposure-response relationship | 78 |
| endemic | 102 | exposure-response | 78 |
| endpoint | 28 | extra risk | 28 |
| environmental fate model | 63 | extrapolation | 133 |
| environmental medium | 63 | | |
| epidemic | 102 | F | |
| epidemiology triad | 103 | farm-to-table | 29 |
| epidemiology | 102 | fate and transport analysis | 63 |
| epizootic | 103 | fate and transport modeling | 133 |
| erlang distribution | 132 | fate and transport | 63 |
| error | 132 | fate | 63 |
| estimated exposure dose | 74 | fault tree analysis | 133 |
| etiologic | 50 | fault tree | 133 |
| excess death | 163 | fecal coliform | 50 |
| excess lifetime risk | 163 | flora | 51 |
| expected deaths | 163 | follow-up study | 103 |
| expected loss | 163 | fomite | 29 |
| experimental study | 103 | food ecology | 51 |
| expert judgment | 28 | food safety objective | 29 |
| exponential growth (rate) | 50 | foodborne illness | 90 |
| exposed | 74 | foodborne pathogen | 51 |
| exposure analysis | 75 | frank effect level | 175 |
| exposure assessment | 75 | frank pathogen | 51 |
| exposure concentration | 76 | frequency distribution | 133 |
| exposure duration | 76 | fungi (fungus) | 51 |
| exposure event | 77 | | |
| exposure factor | 77 | G | |
| exposure frequency | 182 | gamma distribution | 134 |
| exposure indicator | 182 | gastroenteritis | 91 |
| exposure investigation | 77 | Gaussian distribution model | 134 |
| exposure loading | 77 | Gaussian distribution | 134 |
| exposure mass | 77 | general population | 103 |
| exposure model | 77 | geometric distribution | 134 |
| exposure modeling | 77 | geometric mean | 135 |

| | | | |
|---|-----|--------------------------------|-----|
| goodness of fit | 135 | immune status | 91 |
| goodness-of-fit test | 135 | immunity | 92 |
| grab sample | 63 | immunocompromised | 92 |
| gray literature | 29 | incidence rate | 105 |
| guidance value | 163 | incidence | 104 |
| <hr/> | | incidence-based costs | 172 |
| <i>H</i> | | incidental ingestion | 79 |
| half-life | 175 | incremental cost (analysis) | 172 |
| hazard analysis critical control point system | 30 | incubation period | 92 |
| hazard assessment | 30 | independent action | 52 |
| hazard characterization | 31 | independent variable | 136 |
| hazard evaluation | 31 | index case | 105 |
| hazard identification | 31 | indicator organisms | 182 |
| hazard index | 175 | indicator | 52 |
| hazard quotient | 175 | indicator, fecal | 52 |
| hazard ratio | 176 | indirect contact | 80 |
| hazard | 29 | indirect costs | 173 |
| hazards analysis | 32 | indirect exposure | 80 |
| health assessment | 186 | individual risk | 163 |
| health consultation | 186 | individual susceptibility | 92 |
| health effect | 91 | infectibility | 92 |
| health endpoint | 91 | infection | 92 |
| health outcome data | 103 | infectious agent | 52 |
| health outcomes study | 104 | infectious dose | 119 |
| healthy-years equivalents | 172 | infectious pathogen | 53 |
| hedonic wage studies | 172 | infectiousness | 53 |
| herd immunity | 104 | infective dose _x | 119 |
| high-end exposure estimate | 79 | infectivity | 53 |
| high-risk community | 104 | ingestion exposure | 80 |
| histogram | 135 | ingestion | 80 |
| host characterization | 32 | inhalation exposure | 80 |
| host pathogen profile | 32 | inhalation unit risk | 80 |
| host specificity | 52 | inhalation | 80 |
| host | 91 | inoculum | 53 |
| human capital approach | 172 | input | 32 |
| human equivalent concentration | 176 | instrument error | 105 |
| human equivalent dose | 176 | intake rate | 81 |
| human exposure evaluation | 32 | intake | 80 |
| hypergeometric distribution | 136 | integrated exposure assessment | 81 |
| <hr/> | | interferents | 63 |
| <i>I</i> | | internal dose | 119 |
| illness | 91 | interspecies dose conversion | 176 |
| | | invasiveness | 53 |
| | | isolate | 53 |
| | | iteration | 136 |

iterative process 32

K

key event 176

Kolmogorov-Smirnov test 136

L

laboratory studies 32

latency period 92

latent infection 93

lethal concentration-50 176

lethal dose-50 119

lethal dose_x 119

level of concern 163

lifetime exposure 81

likelihood 137

limit of detection 63

limit of quantification 64

limited evidence 186

linear correlation coefficient 137

linear dose response 137

linear model 137

linearized multistage procedure 177

lines of evidence 186

log inactivation 53

log reduction 54

logarithmic growth curve (phase) 54

logistic distribution 138

logistic model 138

logit model 139

lognormal distribution 137

log-probit model 138

longer-term exposure 81

longitudinal epidemiologic study 105

low-dose extrapolation 139

low-dose linear model 139

lower detection limit 64

lower limit on effective dose-10 177

lowest acceptable daily dose 120

lowest observed adverse effect level 177

lowest observed effect level 177

M

management goal 164

management objective 164

margin of exposure 81

margin of safety 164

marginal costs 173

Markov chain Monte Carlo 139

matching 105

mathematical modeling 139

maximum exposed individual 81

maximum individual risk 186

maximum likelihood estimate 139

maximum likelihood method 140

mean 140

measure of ecosystem and receptor

 characteristics 183

measure of effect 183

measure of exposure 81

measurement endpoint 183

measures of central tendency 140

mechanical vector 54

mechanism of action 54

mechanism of infection 54

median dose 140

median 140

medium intake rate 82

medium 54

meta-analysis 140

metamodel calibration 141

methods 33

metric of exposure 82

microbial growth 54

microbial pesticides 54

microbiological criteria 164

microenvironment method 183

microenvironment 82

microorganism 55

minimum infective dose 120

mitigation 164

mobility 55

mode of action 55

mode 141

model boundaries 141

model detail 142

| | | | |
|-----------------------------------|-----|--|-----|
| model structure | 142 | occurrence | 107 |
| model uncertainty | 142 | odds ratio | 107 |
| model validation | 142 | one-hit model | 146 |
| model | 141 | opportunistic pathogen | 55 |
| modeling node | 142 | opportunity costs | 173 |
| modeling | 142 | outbreak data | 107 |
| modifying factor | 142 | outbreak | 107 |
| monitoring | 64 | outbreak, foodborne | 108 |
| Monte Carlo simulation | 143 | outcome | 93 |
| Monte Carlo technique | 143 | outlier | 146 |
| Monte-Carlo analysis | 142 | | |
| Monte-Carlo sampling | 142 | | |
| morbidity rate | 106 | | |
| morbidity | 105 | | |
| mortality rate | 106 | | |
| mortality | 106 | | |
| most probable number | 64 | | |
| multipathway assessment | 33 | | |
| multipathway exposure | 82 | | |
| multipathway risk | 164 | | |
| multiple exposure | 82 | | |
| multiple regression | 143 | | |
| multistage model | 143 | | |
| multistage Weibull model | 144 | | |
| <hr/> | | <hr/> | |
| <i>N</i> | | <i>P</i> | |
| natural source | 64 | pandemic | 108 |
| non-cancer risk | 177 | parameter | 147 |
| non-linear dose response | 120 | parasite | 55 |
| nonpoint source | 186 | Pareto distribution | 147 |
| non-threshold effect | 120 | pathogen | 55 |
| non-threshold toxicant | 177 | pathogen characterization | 56 |
| no-observed-adverse-effect level | 178 | pathogen occurrence | 64 |
| no-observed-effect level | 178 | pathogenesis | 56 |
| normal distribution | 144 | pathogenicity | 56 |
| nosocomial infection | 93 | pathway specific risk | 82 |
| notifiable disease | 106 | patient isolation | 93 |
| null hypothesis | 145 | peer review | 164 |
| nutritional status | 93 | per capita intake rate | 82 |
| <hr/> | | percentile | 147 |
| <i>O</i> | | performance criteria | 165 |
| observational epidemiologic study | 106 | performance standard | 165 |
| observational study | 107 | permissible dose | 165 |
| | | permissible exposure limit | 165 |
| | | persistence | 64 |
| | | person-time | 108 |
| | | person-year | 108 |
| | | pharmacokinetic model | 178 |
| | | pharmacokinetics | 178 |
| | | physiologically based pharmacokinetic model | 178 |
| | | pica | 82 |
| | | planning and scoping | 46 |
| | | plaque forming unit | 56 |
| | | point estimate | 148 |
| | | point of departure | 120 |
| | | point of exposure | 83 |
| | | point –of-contact measurement of exposure | |

| | | | |
|------------------------------------|-----|----------------------------------|-----|
| | 83 | protective immunity | 94 |
| Poisson distribution | 148 | protozoa | 57 |
| pollution | 186 | public health approach | 165 |
| population at risk | 93 | public health context | 165 |
| population attributable risk | 165 | public health surveillance | 110 |
| population dose | 83 | p-value | 146 |
| population exposure | 83 | | |
| population risk | 108 | <hr/> | |
| population | 33 | <i>Q</i> | |
| potential dose | 120 | qualitative risk assessment | 34 |
| potential risk | 165 | qualitative uncertainty estimate | 166 |
| power | 148 | quality assurance project plan | 166 |
| practical quantitation limit | 57 | quality assurance | 166 |
| precision | 65 | quality control | 166 |
| predictive microbiology | 57 | quality of life | 173 |
| preliminary assessment | 33 | quality-adjusted life year | 173 |
| premature death | 108 | quantitative risk assessment | 34 |
| presumptive count | 65 | quartiles | 150 |
| prevalence rate | 109 | quorum sensing | 57 |
| prevalence survey | 109 | | |
| prevalence | 109 | <hr/> | |
| primary contact | 109 | <i>R</i> | |
| primary effect | 183 | random error | 150 |
| primary transmission | 109 | random sample | 151 |
| prion | 57 | random variable | 151 |
| probabilistic risk analysis | 34 | range | 151 |
| probabilistic risk assessment | 34 | rank correlation coefficient | 151 |
| probabilistic uncertainty analysis | 149 | rate | 110 |
| probabilistic | 148 | ratio | 151 |
| probability density function | 149 | reasonable worst case | 83 |
| probability distribution | 149 | receptor population | 184 |
| probability of illness | 121 | receptor | 183 |
| probability of infection | 121 | reference concentration | 179 |
| probability | 149 | reference dose | 179 |
| probable error | 150 | reference group | 111 |
| probit analysis | 150 | reference value | 179 |
| probit model | 150 | refined exposure concentration | 84 |
| problem formulation | 34 | refined method | 35 |
| problem statement | 34 | regression analysis | 151 |
| process criteria | 150 | relative risk assessment | 167 |
| productivity loss | 173 | relative risk | 166 |
| proportionate mortality ratio | 109 | representative samples | 66 |
| prospective epidemiologic study | 110 | representativeness | 65 |
| prospective risk assessment | 183 | reproducibility | 66 |
| prospective study | 110 | reservoir | 66 |

| | | | |
|-------------------------------|-----|-------------------------------------|-----|
| residual risk | 187 | screening-level risk assessment | 46 |
| resistance | 57 | seasonality | 67 |
| resources | 46 | secondary attack rate | 111 |
| respondent error | 111 | secondary effect | 184 |
| response | 121 | secondary infection | 94 |
| retrospective risk assessment | 184 | secondary spread | 111 |
| retrospective study | 111 | secondary transmission | 111 |
| risk analysis | 36 | sensitive subgroups | 94 |
| risk assessment policy | 38 | sensitivity analysis | 152 |
| risk assessment work plan | 38 | sensitivity | 94 |
| risk assessment | 36 | sequelae | 94 |
| risk assessor | 38 | seroepidemiology | 111 |
| risk characterization | 38 | severity of illness | 94 |
| risk communication | 39 | severity of infection | 94 |
| risk description | 40 | short-term exposure | 84 |
| risk difference | 40 | sigma g | 152 |
| risk estimate | 40 | slope factor | 179 |
| risk evaluation | 40 | sludge | 187 |
| risk factor | 41 | source | 43 |
| risk identification | 41 | special populations | 94 |
| risk management policy | 167 | specific immunity | 95 |
| risk management | 41 | specificity | 112 |
| risk manager | 42 | spore | 57 |
| risk monitoring | 167 | stakeholder | 43 |
| risk profile | 167 | standard deviation | 152 |
| risk ratio | 167 | standard error | 153 |
| risk reduction | 167 | standard geometric deviation | 153 |
| risk | 35 | standard normal deviation | 153 |
| risk-based decision-making | 167 | standardization | 153 |
| risk-based targeting | 167 | standardized mortality ratio | 112 |
| risk-benefit analysis | 42 | statistic | 153 |
| route of exposure | 84 | statistical significance | 153 |
| route | 84 | statistics | 154 |
| <hr/> | | | |
| S | | stepwise approach | 43 |
| safe | 42 | stochastic model | 154 |
| safety factor | 43 | stochastic uncertainty | 154 |
| safety limits | 43 | stochastic variability | 154 |
| safety | 43 | strain | 58 |
| sample | 66 | stressor | 184 |
| sampling distribution | 67 | stressor-response profile | 184 |
| scenario uncertainty | 46 | subchronic exposure | 84 |
| scenario | 46 | subchronic study | 180 |
| screening method | 46 | subclinical infection | 95 |
| | | subjective judgment | 167 |
| | | subjective probability distribution | 154 |

| | | | |
|------------------------------------|-----|--|-----|
| subpopulation | 95 | toxin | 58 |
| surrogate data | 44 | toxinogenic pathogen | 58 |
| surrogate | 43 | transmissible | 59 |
| surveillance | 112 | transmission of infection | 112 |
| survey | 112 | transparency | 44 |
| susceptibility | 95 | transparent | 44 |
| susceptible subgroups | 95 | triangular distribution | 155 |
| syndrome | 95 | type II error | 155 |
| synergism | 180 | | |
| synergistic effect | 180 | <hr/> <i>U</i> | |
| systematic error | 67 | uncertainty analysis | 156 |
| systematic review | 46 | uncertainty factor | 156 |
| systemic effects | 96 | uncertainty | 155 |
| systemic toxicity | 96 | uniform distribution | 157 |
| <hr/> <i>T</i> | | unit risk estimate | 168 |
| target organ | 96 | unit risk | 168 |
| target population | 96 | upper bound | 157 |
| target | 96 | upper percentile | 157 |
| t-distribution | 155 | uptake | 96 |
| temporal variability | 67 | <hr/> <i>V</i> | |
| threshold effect | 121 | validation | 157 |
| threshold limit value | 121 | validity | 158 |
| threshold toxicant | 180 | variability | 158 |
| threshold | 121 | variable | 159 |
| tiered analysis | 44 | variance | 159 |
| time profile | 47 | variation | 159 |
| time-averaged exposure | 67 | vector | 84 |
| time-integrated exposure | 67 | vegetative (bacterial) cell | 59 |
| time-integrated sample | 67 | vehicle | 85 |
| time-trend study | 68 | viable but not (non-) culturable | 59 |
| tolerable daily intake | 168 | virulence factor | 59 |
| tolerable intake | 168 | virulence | 59 |
| tolerance of pathogens to control | 58 | virulence-factor activity relationship | 59 |
| tools of microbial risk assessment | 44 | virus | 59 |
| toxic substance | 180 | <hr/> <i>W</i> | |
| toxicant | 180 | water quality target | 168 |
| toxicity assessment | 180 | water quality | 44 |
| toxicity test | 181 | water safety plan | 168 |
| toxicity | 180 | waterborne pathogen | 59 |
| toxicodynamics | 181 | | |
| toxico-infectious pathogen | 58 | | |
| toxicokinetics | 181 | | |
| toxicology | 181 | | |

| | | | |
|--------------------|-----|---------------------|-----|
| Weibull model | 159 | Z | |
| weight-of-evidence | 168 | | |
| willingness to pay | 173 | zero order analysis | 159 |
| worst case | 85 | zoonoses | 113 |

ACRONYMS

| | | | |
|------------------|-----|-------------------|-----|
| BMP | 25 | AIC | 123 |
| DQO | 27 | BIC | 124 |
| ER | 28 | CV | 128 |
| HACCP | 30 | CDF | 130 |
| cfu | 49 | K-S test | 136 |
| CFU | 49 | MLE | 139 |
| pfu | 56 | ML method | 140 |
| PFU | 56 | N ₅₀ | 140 |
| VNBC | 59 | MF | 142 |
| VNC | 59 | PDF | 149 |
| VFAR | 59 | s g | 152 |
| LOD | 63 | AR | 156 |
| LOQ | 64 | ADI | 160 |
| MPN | 64 | AR | 161 |
| ADD | 71 | ALOP | 161 |
| BAF | 72 | CV | 161 |
| BCF | 72 | CP | 162 |
| EED | 74 | LOC | 163 |
| IUR | 80 | PEL | 165 |
| MOE | 81 | RR | 166 |
| MEI | 81 | URE | 168 |
| OR | 107 | WSP | 168 |
| PMR | 109 | WOE | 168 |
| SMR | 112 | COI | 171 |
| BMC | 114 | DALY | 171 |
| BMCL | 114 | HYE | 172 |
| BMD | 114 | QALY | 173 |
| BMDL | 114 | WTP | 173 |
| BMR | 114 | FEL | 175 |
| BBDR model | 114 | t _{1/2} | 175 |
| ID _x | 119 | HI | 175 |
| LD _x | 119 | HQ | 175 |
| LD ₅₀ | 119 | HEC | 176 |
| MID | 120 | HED | 176 |
| POD | 120 | LC ₅₀ | 176 |
| TLV | 121 | LED ₁₀ | 177 |

| | | | |
|-------|-----|------------------|-----|
| LOAEL | 177 | RfD | 179 |
| LOEL | 177 | RfV | 179 |
| LEL | 177 | EC ₅₀ | 182 |
| NOAEL | 178 | ED ₁₀ | 182 |
| NOEL | 178 | CSF | 185 |
| PBPK | 178 | MIR | 186 |
| RfC | 179 | | |